

# WORLD CAT 290EC



HIN	MODEL YEAR	LOA	BEAM	HULL DRAFT	
USEPYDC018J809	2009	29' 1"	9' 6"	15"	
<b>Approx. Dry Weight</b>	<b>Fuel Capacity</b>	<b>Trailer Height w/ top</b>	<b>Freeboard Aft</b>	<b>Freshwater Cap.</b>	<b>Wastewater Cap.</b>
9,700 lbs w/ twin 250's	2 x 125 gal	10' 6" (est.)	27"	35 gal	15 gal

## STANDARD FEATURES

### Power

- Yamaha 250 4-Stroke Package (Engines, rigging, controls & props)

### Bow

- Molded-in bow pulpit with roller and cleats
- Fully welded 316 marine-grade stainless steel grab rail
- Raised toe-kick for added safety
- Molded-in bow seating with cushion
- (2) additional 500-gph forward bilge pumps with auto switches

### Cabin

- Full cabin featuring master berth, galley, integrated storage, stylish fabrics and lighting
- Enclosed, lockable head compartment with direct access to the cabin and helm. Marine head with a 15-gallon holding and over-board discharge. Standing freshwater shower, vanity with Corian countertop and stainless sink, cabinetry and mirror.
- Cabin storage includes port and starboard under berth drawer storage and end tables with port and starboard drawer storage
- Galley package includes Corian countertop, refrigerator, microwave, stainless steel sink, and storage
- Standard shorepower connection featuring 50-amp service and cordset, AC panel with digital meter and battery charger
- 35-gallon freshwater system with water heater
- Aluminum deck hatches with screens and shades

### Helm

- Full wrap-around tempered safety glass windshield
- Electronics package to monitor tanks and battery bank
- Cast Stainless Steel Edson Wheel with Power Knob and power-assist steering
- Pantograph-style heavy-duty waterproof windshield wiper with rinse
- Non-slip anti-fatigue mat to reduce the stress of standing on the hard surface
- Centerline helm including dual helm seat with dual stand-up bolster and ergonomic dash layout capable of twin 8" screens or one 12" screen
- 42-gallon insulated, re-circulating livewell with a 1100-gph magnetic drive pump, overboard drain and clear lid
- Port and starboard cabin bi-fold entry doors
- Magnetic catches on cabin/head entry and walk-through doors
- Port and starboard tackle and gear storage in helm area
- (2) 250-quart insulated deck fishboxes with macerator pumps (port and starboard)

### Stern

- Port and starboard gunnel-mounted lockable tackle and bulk storage
- Additional house battery increases reliability and longevity of the battery bank
- Integrated cockpit step for easy in-and-out access
- Port and starboard battery storage compartments
- Port and starboard sealed-off fuel filter compartments for easy maintenance
- (6) pull-up stainless steel cleats with backing plates
- (6) gunnel-mounted stainless steel rod holders
- Euro-style transom with heavy-duty acrylic door, bait prep, and tool storage

# WORLD CAT 290EC



HIN	MODEL YEAR	LOA	BEAM	HULL DRAFT		
USEPYDC018J809	2009	29' 1"	9' 6"	15"		
Approx. Dry Weight	Fuel Capacity	Trailer Height w/ top	Freeboard Aft	Freshwater Cap.	Wastewater Cap.	
9,700 lbs w/ twin 250's	2 x 125 gal	10' 6" (est.)	27"	35 gal	15 gal	

- Freshwater transom shower

## OPTIONAL EQUIPMENT

- Fischer Panda® 4.2kW diesel generator with 10-gallon fuel tank (replaces port fishbox)
- Fiberglass top with aluminum frame, integrated radio box, recessed lighting, rocket launchers, and spreader lights
- High grade full enclosure curtain package with Strataglass
- Cruiseair® 8,000 BTU heating/ cooling unit with vents to the cabin, head and cockpit
- Carolina Blue two-tone hull color
- Taco 270 Grand Slam(tm) outriggers with 18' telescopic poles
- Dual aft fold-down seating with backrest cushions
- Pro series windlass with 300' line, 15' chain, 22lb anchor, and foot switches at the deck
- Extended swim platform with integrated handrails and ladder
- Clarion AM/FM/CD Stereo w/ Satellite Radio
- LCD TV with DVD Player (290EC) (2008)
- Matching hardtop underside to hull side color

# WORLD CAT 290EC



HIN	MODEL YEAR	LOA	BEAM	HULL DRAFT	
USEPYDC018J809	2009	29' 1"	9' 6"	15"	
<b>Approx. Dry Weight</b>	<b>Fuel Capacity</b>	<b>Trailer Height w/ top</b>	<b>Freeboard Aft</b>	<b>Freshwater Cap.</b>	<b>Wastewater Cap.</b>
9,700 lbs w/ twin 250's	2 x 125 gal	10' 6" (est.)	27"	35 gal	15 gal

## KEY STANDARD EQUIPMENT

- Patented Vectorflo® semi-displacement hull provides a dry, stable and comfortable ride
- Our Unibody Construction® fuses the hull and deck to maximize hull rigidity and strength for the life of your World Cat
- Ten-year limited, transferable, structural hull warranty
- Full 316 stainless steel hardware package provides a lifetime warranty against structural corrosion for years of carefree use
- 100% composite construction creates a solid, durable, rot-free platform for serious offshore performance
- Independent propulsion, fuel, and electrical systems for the added security that you will be able to return home safely on one engine
- Non-corrosive, polyethylene fuel tanks, which will not rust or corrode in the harsh salt-water environment
- Large diameter PVC rigging tubes provide ample room for the rigging of electronics, while providing excellent chafe protection for the electrical systems
- Self-bailing cockpits with a minimum of four (4) oversized drains utilizing gravity to quickly drain your deck
- Minimum of two (2) 1500-gph bilge pumps with automatic float switches quickly evacuate the hull to keep you safe and your hull dry in almost any situation
- 100% composite transom reinforced with aluminum backing plates to hold up the stresses of high-horsepower engines
- Break-away dive ladder for easy transom entry is standard on all models for added safety and convenience
- Water-resistant bilge hatches with compression gaskets in motor-wells to provide bilge pump access and serviceability
- Livewells and fishboxes are double insulated with composite coring and urethane foam for consistent temperature control
- Molded-in diamond pattern non-skid on all walking surfaces provide enough grab for safety without hurting your feet
- Toe-rails to increase cockpit floor-space and fishability while improving comfort and safety (not available on the 270SD)
- All cleats and rod-holders are through-bolted with backing plates for heavy-duty marine use
- Premium marine grade vinyl and foam used on all upholstery to provide years of good looks and easy care
- Bow Anchor locker for convenient storage of chain and rode
- LED cockpit and navigational lighting for years of trouble-free boating
- Heavy-duty wiring systems meet or exceed all NMMA requirements and include tinned copper wiring, Deutsch® sealed connectors, and wires labeled every three inches
- Hydraulic steering system with tilt-helm, dual steering cylinders, and a liquid tie-bar
- All World Cats are NMMA certified following ABYC standards while all models over 26 feet are Yacht Certified for added safety
- Battery management system monitors and charges all three (3) battery banks while allowing for emergency paralleling for increased safety.
- All World Cat helms are ergonomically designed using our CAD system to provide comfortable placement of controls, gauges, and electronics while assuring excellent bow visibility per ABYC guidelines. A
- Stainless steel cup holders
- Minimum of two (2) twist lock 12V DC plugs in the cockpit for downriggers, electric reels, kites, or drink blender (TE's include four)
- Eight (8) stainless steel recessed cleats provide maximum holding power and minimum interference with fishing lines
- All wires are labeled every 3 inches for ease of maintenance and serviceability
- Full upholstery kit includes aft coaming pads on all boats and forward coaming pads on center consoles
- Customer care package including Coast Guard kit, four (4) fenders, six (6) dock lines, and batteries
- Chrome-plated, epoxy-coated stainless steel fasteners throughout for long-term performance and appearance
- Raw and fresh water systems
- Only catamaran builder to achieve four (4) straight Marine Industry CSI Awards for fiberglass outboard boats from 2004 to 2007