

WORLD CAT 290CC



HIN	MODEL YEAR	LOA	BEAM	HULL DRAFT	
USEPY03115J910	2010	29' 1"	9' 6"	15"	
Approx. Dry Weight	Fuel Capacity	Trailer Height w/ top	Freeboard Aft	Freshwater Cap.	Wastewater Cap.
8,700 lbs w/ twin 250's	2 x 125 gal	10'6" est.	27"	25 gal	15 gal

STANDARD FEATURES

Power

- Suzuki 250 4-Stroke Package (Twin counter rotating engines, rigging, controls & stainless props)

Bow

- Expansive bow seating with ergonomic design to comfortably seat (4) adults
- 85-quart overboard & insulated fishbox, (2) 210-quart overboard & insulated fishboxes, (2) 300-quart macerated & insulated floor fishboxes
- Port and starboard gunnel fiberglass lid for lockable rod storage
- Low profile aluminum grab rail
- Molded-in bow pulpit with roller and cleats
- Anchor locker with (2) doors and raw water washdown
- (2) 500-gph forward bilge pumps with auto switches
- (2) gunnel mounted stainless steel rod holders forward
- Heavy duty, reinforced, stainless steel lifting eye
- Twin flip-up forward console seat

Head

- Marine head with 15-gallon holding tank and overboard discharge in the console

Helm

- Wrap-around windshield integrated into the hardtop for a water and air-tight enclosure around the console
- Pantograph-style heavy-duty waterproof windshield wiper with rinse
- Fiberglass console with lockable electronics box, integrated and netted storage compartments, (2) cup holders, passenger handrail and tempered safety glass windshield
- Fiberglass top with aluminum frame, radio box with flat panel to mount the VHF, overhead lights, (4) rocket launchers, spreader lights and zipper bags for life jackets
- Fiberglass leanpost houses 42-gallon re-circulating & insulated livewell with a 1100gph magnetic drive pump, overboard drain and a clear lid. Also has raw water washdown and integrated toerail. Compartments for (3) batteries, battery management, power assist pump and fire extinguisher
- Double-wide custom helm seat with twin flip-up bolsters
- Ergonomic dash layout with recessed stainless steel cup holders and foot rest with insulated storage compartment
- Large, lockable electronics area capable of twin 12" screens
- 13" Edson wheel with power-assist steering
- Electronics package to monitor tanks and house battery bank
- Non-slip anti-fatigue mat to reduce the stress of standing on the hard surface of a boat deck

Stern

- Euro-style walk through transom with heavy-duty acrylic door, bait prep, tool storage and optional fold-down seats. Also, (2) 40-gallon insulated, lighted livewells with 1100-gph magnetic drive pumps and overboard drains
- Molded-in toe rails and full cockpit bolsters
- Port and starboard gunnel-mounted lockable tackle storage
- Port and starboard sealed-off fuel filter compartments for easy maintenance
- Port and starboard cockpit storage compartments with tackle and bulk options
- (6) pull-up stainless steel cleats with backing plates
- (6) gunnel mounted stainless steel rod holders aft

WORLD CAT 290CC



HIN	MODEL YEAR	LOA	BEAM	HULL DRAFT		
USEPY03115J910	2010	29' 1"	9' 6"	15"		
Approx. Dry Weight	Fuel Capacity	Trailer Height w/ top	Freeboard Aft	Freshwater Cap.	Wastewater Cap.	
8,700 lbs w/ twin 250's	2 x 125 gal	10'6" est.	27"	25 gal	15 gal	

- Freshwater transom shower with 20-gallon holding tank

OPTIONAL EQUIPMENT

- Taco 350 Grand Slam(tm) outriggers with 15' telescopic poles
 - Pro series windlass with 300' line, 15' chain, 22lb anchor, and foot switches at the deck
 - Dual aft fold-down seating with backrest cushions
 - Extended swim platform with integrated handrails and ladder
 - Clarion Stereo system with 4 speakers, Sirius Satellite, and an iPod or MP3 port
 - Integrated Battery Charging System
 - Custom Ashland two-tone hull color
-

WORLD CAT 290CC



HIN	MODEL YEAR	LOA	BEAM	HULL DRAFT	
USEPY03115J910	2010	29' 1"	9' 6"	15"	
Approx. Dry Weight	Fuel Capacity	Trailer Height w/ top	Freeboard Aft	Freshwater Cap.	Wastewater Cap.
8,700 lbs w/ twin 250's	2 x 125 gal	10'6" est.	27"	25 gal	15 gal

KEY STANDARD EQUIPMENT

Construction

- Patented Vectorflo® semi-displacement hull provides a dry, stable, high-performance ride
- Our Unibody Construction® fuses the hull and deck to maximize hull rigidity and strength for the life of your World Cat
- Ten-year limited, transferable, structural hull warranty
- All World Cat helms are ergonomically designed using our CAD system to provide comfortable placement of controls, gauges, and electronics while assuring excellent bow visibility per ABYC guidelines. As the skipper of your new World Cat, you'll find its helm to be simple, safe, and fun!
- Full 316 stainless steel hardware package provides a lifetime warranty against structural corrosion for years of carefree use
- 100% composite construction creates a solid, durable, rot-free platform for serious offshore performance
- 100% composite transom reinforced with aluminum backing plates to hold up the stresses of high-horsepower engines
- Large diameter PVC rigging tubes provide ample room for the rigging of electronics, while providing excellent chafe protection for the electrical systems
- LED cockpit and navigational lighting for years of trouble-free boating
- Chrome-plated, epoxy-coated stainless steel fasteners throughout for long-term performance and appearance
- All cleats and rod-holders are through-bolted with backing plates for heavy-duty marine use
- All wires are labeled every 3 inches for ease of maintenance and serviceability
- Premium marine grade vinyl and foam used on all upholstery to provide years of good looks and easy care
- Full upholstery kit includes aft coaming pads on all boats and forward coaming pads on center consoles
- Livewells and fishboxes are double insulated with composite coring and urethane foam for consistent temperature control
- Hydraulic steering system with tilt-helm, dual steering cylinders, and a liquid tie-bar
- (8) stainless steel recessed cleats provide maximum holding power and minimum interference with fishing lines
- (4) pop-up fender cleats (290EC has 2 cleats)
- Bow anchor locker for convenient storage of chain and rode
- Minimum of two (2) twist lock 12V DC plugs in the cockpit for downriggers, electric reels, kites, or drink blender (TE's include four)
- Stainless steel cup holders
- Raw and fresh water systems

Safety

- All World Cats are NMMA certified following ABYC standards while all models over 26 feet are Yacht Certified for added safety
- Four (6) straight Marine Industry CSI Awards for fiberglass outboard boats from 2004 to 2009
- Customer care package including Coast Guard kit, four (4) fenders, six (6) dock lines, and batteries
- Independent propulsion, fuel, and electrical systems for the added security that you will be able to return home safely on one engine
- Battery management system monitors and charges all three (3) battery banks while allowing for emergency paralleling for increased safety.
- Heavy-duty wiring systems meet or exceed all NMMA requirements and include tinned copper wiring, Deutsch® sealed connectors, and wires labeled every three inches
- Non-corrosive, polyethylene fuel tanks, which will not rust or corrode in the harsh salt-water environment
- Self-bailing cockpits with a minimum of four (4) oversized drains utilizing gravity to quickly drain your deck
- Minimum of two (2) 1500-gph bilge pumps with automatic float switches quickly evacuate the hull to keep you safe and your hull dry in almost any situation
- Break-away dive ladder for easy transom entry is standard on all models for added safety and convenience
- Water-resistant bilge hatches with compression gaskets in motor-wells to provide bilge pump access and serviceability
- Molded-in diamond pattern non-skid on all walking surfaces provide enough grab for safety without hurting your feet
- Toe-rails to increase cockpit floor-space and fishability while improving comfort and safety (not available on the 270SD)