

WORLD CAT 290CC



| HIN | MODEL YEAR | LOA | BEAM | HULL DRAFT | |
|-------------------------|---------------|-----------------------|---------------|-----------------|-----------------|
| USEPY03133A010 | 2010 | 29' 1" | 9' 6" | 15" | |
| Approx. Dry Weight | Fuel Capacity | Trailer Height w/ top | Freeboard Aft | Freshwater Cap. | Wastewater Cap. |
| 8,700 lbs w/ twin 250's | 2 x 125 gal | 10' 6" (est.) | 27" | 25 gal | 15 gal |

STANDARD FEATURES

Power

- Yamaha 250 4-Stroke Package (Twin counter rotating engines, rigging, controls & stainless props)

Bow

- Expansive bow seating with ergonomic design to comfortably seat (4) adults
- Insulated 85-quart center storage compartments for use as a fishbox or cooler with overboard drains
- Port and starboard gunnel fiberglass lid for lockable rod storage with recessed hand-rail for added safety
- Low profile aluminum grab rail
- Molded-in bow pulpit with roller and cleats
- Anchor locker with (2) doors and raw water washdown
- (2) gunnel mounted stainless steel rod holders
- Heavy duty, reinforced, stainless steel lifting eye
- Twin flip-up forward console seat

Head

- Marine head with 15-gallon holding tank and overboard discharge in the console

Helm

- Wrap-around windshield integrated into the hardtop for a water and air-tight enclosure around the console
- Pantograph-style heavy-duty waterproof windshield wiper with rinse
- Fiberglass console with lockable electronics box, integrated and netted storage compartments, (2) cup holders, passenger handrail and tempered safety glass windshield
- Fiberglass top with aluminum frame, radio box with flat panel to mount the VHF, overhead lights, (4) rocket launchers, spreader lights and zipper bags for life jackets
- Fiberglass leanpost houses 42-gallon recirculating, insulated, livewell with a 1100-gph magnetic drive pump, overboard drain, and a clear lid. Also has raw water washdown and integrated toerail. Compartments for 3-batteries, battery management, power assist pump, and fire extinguisher.
- Double-wide custom helm seat with twin flip-up bolsters
- Ergonomic dash layout with recessed stainless steel cup-holders and foot rest with insulated storage compartment
- (2) 500-gph forward bilge pumps with auto switches
- Large, lockable electronics area capable of twin 12" screens
- Cast Stainless Steel Edson Wheel with Power Knob and power-assist steering
- Electronics package to monitor tanks and house battery bank
- Non-slip anti-fatigue mat to reduce the stress of standing on the hard surface
- Insulated 300-quart port and starboard floor fishbox with diaphragm pumps

Stern

- Euro-style walk through transom with heavy-duty acrylic door, bait prep, tool storage and optional fold-down seats.
- Molded-in toe rails and full cockpit bolsters
- Port and starboard gunnel-mounted lockable tackle and bulk storage
- Port and starboard sealed-off fuel filter compartments for easy maintenance
- Port and starboard cockpit storage compartments with tackle and bulk options
- (6) pull-up stainless steel cleats with backing plates
- (6) gunnel mounted stainless steel rod holders

WORLD CAT 290CC



| HIN | MODEL YEAR | LOA | BEAM | HULL DRAFT | | |
|-------------------------|---------------|-----------------------|---------------|-----------------|-----------------|--|
| USEPY03133A010 | 2010 | 29' 1" | 9' 6" | 15" | | |
| Approx. Dry Weight | Fuel Capacity | Trailer Height w/ top | Freeboard Aft | Freshwater Cap. | Wastewater Cap. | |
| 8,700 lbs w/ twin 250's | 2 x 125 gal | 10' 6" (est.) | 27" | 25 gal | 15 gal | |

- Freshwater transom shower with 20-gallon holding tank

OPTIONAL EQUIPMENT

- Taco 350 Grand Slam(tm) outriggers with 15' telescopic poles
- Pro series freefall windlass with 300' line, 15' chain, 22lb anchor, and foot switches at the deck
- Dual aft fold-down seating with backrest cushions
- Extended swim platform with integrated handrails and ladder
- Clarion Stereo system with 4 speakers, Sirius Satellite, and an iPod or MP3 port
- Integrated Battery Charging System

WORLD CAT 290CC



| HIN | MODEL YEAR | LOA | BEAM | HULL DRAFT | | |
|---------------------------|----------------------|------------------------------|----------------------|------------------------|------------------------|--|
| USEPY03133A010 | 2010 | 29' 1" | 9' 6" | 15" | | |
| Approx. Dry Weight | Fuel Capacity | Trailer Height w/ top | Freeboard Aft | Freshwater Cap. | Wastewater Cap. | |
| 8,700 lbs w/ twin 250's | 2 x 125 gal | 10' 6" (est.) | 27" | 25 gal | 15 gal | |

KEY STANDARD EQUIPMENT

Construction

- Patented Vectorflo® semi-displacement hull provides a dry, stable, high-performance ride
- Our Unibody Construction® fuses the hull and deck to maximize hull rigidity and strength for the life of your World Cat
- Ten-year limited, transferable, structural hull warranty
- All World Cat helms are ergonomically designed using our CAD system to provide comfortable placement of controls, gauges, and electronics while assuring excellent bow visibility per ABYC guidelines. A
- Full 316 stainless steel hardware package provides a lifetime warranty against structural corrosion for years of carefree use
- 100% composite construction creates a solid, durable, rot-free platform for serious offshore performance
- 100% composite transom reinforced with aluminum backing plates to hold up the stresses of high-horsepower engines
- Large diameter PVC rigging tubes provide ample room for the rigging of electronics, while providing excellent chafe protection for the electrical systems
- LED cockpit and navigational lighting for years of trouble-free boating
- Chrome-plated, epoxy-coated stainless steel fasteners throughout for long-term performance and appearance
- All cleats and rod-holders are through-bolted with backing plates for heavy-duty marine use
- All wires are labeled every 3 inches for ease of maintenance and serviceability
- Premium marine grade vinyl and foam used on all upholstery to provide years of good looks and easy care
- Full upholstery kit includes aft coaming pads on all boats and forward coaming pads on center consoles
- Livewells and fishboxes are double insulated with composite coring and urethane foam for consistent temperature control
- Hydraulic steering system with tilt-helm, dual steering cylinders, and a liquid tie-bar
- (8) stainless steel recessed cleats provide maximum holding power and minimum interference with fishing lines
- (4) pop-up fender cleats (290EC has 2 cleats)
- Bow anchor locker for convenient storage of chain and rode
- Minimum of two (2) twist lock 12V DC plugs in the cockpit for downriggers, electric reels, kites, or drink blender (TE's include four)
- Stainless steel cup holders
- Raw and fresh water systems

Safety

- All World Cats are NMMA certified following ABYC standards while all models over 26 feet are Yacht Certified for added safety
- Four (6) straight Marine Industry CSI Awards for fiberglass outboard boats from 2004 to 2009
- Customer care package including Coast Guard kit, four (4) fenders, six (6) dock lines, and batteries
- Independent propulsion, fuel, and electrical systems for the added security that you will be able to return home safely on one engine
- Battery management system monitors and charges all three (3) battery banks while allowing for emergency paralleling for increased safety.
- Heavy-duty wiring systems meet or exceed all NMMA requirements and include tinned copper wiring, Deutsch® sealed connectors, and wires labeled every three inches
- Non-corrosive, polyethylene fuel tanks, which will not rust or corrode in the harsh salt-water environment
- Self-bailing cockpits with a minimum of four (4) oversized drains utilizing gravity to quickly drain your deck
- Minimum of two (2) 1500-gph bilge pumps with automatic float switches quickly evacuate the hull to keep you safe and your hull dry in almost any situation
- Break-away dive ladder for easy transom entry is standard on all models for added safety and convenience
- Water-resistant bilge hatches with compression gaskets in motor-wells to provide bilge pump access and serviceability
- Molded-in diamond pattern non-skid on all walking surfaces provide enough grab for safety without hurting your feet
- Toe-rails to increase cockpit floor-space and fishability while improving comfort and safety (not available on the 270SD)